

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10	((HYUNG-JONG) near2 (KANG)). INV.	US-PGRUB; USPAT	ADJ	ON	2010/05/03 13:36
L2	9	((JUNG-SOO) near2 (SEO)). INV.	US-PGRUB; USPAT	ADJ	ON	2010/05/03 13:37
S1	5698	(apparatus)with(scanner and printer and storage)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:19
S2	6	(apparatus)with(scanner and printer and storage)adj3 (connect\$2)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:32
S3	0	((apparatus)with(scanner adj4 connect\$4 storage)and (printer adj4 connect\$4 storage))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:39
S4	0	((apparatus)with(scanner and printer adj4 connect\$4 storage)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:40
S5	0	((apparatus)with(scanner and printer)near9 connect\$4 storage)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:40
S6	13	((apparatus)with(scanner and printer)near9 connect\$4 (storage or memory or disk or server or HDD))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 14:41
S7	0	"72539016".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 16:32

S8	2	"7253916".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 16:32
S9	3	"20020027673"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/12 16:35
S10	136008	(scanner or printer)with (display)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:21
S11	12222	(scanner and printer)with (display)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:21
S12	49	(scanner and printer)with ((display and key)adj5(unit))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:21
S13	110	((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface) and ((scan\$4 or read \$3) with (display or panel or screen or interface) and (print \$3 with (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos \$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface) and (@ad<="20021031" or @rlad<="20021031")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:27

S14	27	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read \$3) with (display or panel or screen or interface)) and (print \$3 with (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos \$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface) and (@ad<="20021031" or @rlad<="20021031"))and ("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:28
S15	27	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read \$3) with (display or panel or screen or interface)) and (print \$3 with (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos \$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface) and (@ad<="20021031" or @rlad<="20021031"))and ("358"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:55
S16	6	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read \$3) with (display or panel or screen or interface)) and (print \$3 with (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 and choos\$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface) and (@ad<="20021031" or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:56

		@riad<="20021031"))and ("358"/\$.ccls.)				
S17	2	("7538895".pn.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:57
S18	2	("7339695".pn.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:58
S19	2	"7145691".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:58
S20	5	"6928564"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:59
S21	2	"6928564".pn.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 15:59
S22	60	((((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read \$3) with (display or panel or screen or interface)) and (print \$3 with (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos \$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface))and("358"/ \$.ccls.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:01

S23	21	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) and (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read \$3) with (display or panel or screen or interface)) and (print \$3 adj6 (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos \$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface)) and ("358"/ \$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:02
S24	2706	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) or (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read\$3) with (display or panel or screen or interface)) and (print\$3 adj6 (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol \$4 or arrow or ((search\$3 or select\$3 or choos\$3) with (item or image or file or name or list or menu))) same (display or panel or screen or interface)) and ("358"/ \$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:03
S25	2604	(((print\$3 with connect\$3 with server) same ((scan\$4 or read \$3) with connect\$3 with server)) or (print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read\$3) with (display or panel or screen or interface)) and (print\$3 adj6 (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol \$4 or arrow or ((search\$3 or select\$3 or choos\$3) with (item or image or file or name or list or menu))) with (display or panel or screen or interface)) and ("358"/ \$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:03

S26	2305	((print\$3 with connect\$3 with server) same ((scan\$4 or read\$3) with connect\$3 with server)) or(print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read\$3) with (display or panel or screen or interface)) and (print\$3 adj2 (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos\$3) with (item or image or file or name or list or menu))) with(display or panel or screen or interface)) and("358"/\$.cds.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:04
S27	3261	((print\$3 with connect\$3 with server) same ((scan\$4 or read\$3) with connect\$3 with server)) or(print\$3 with (display or panel or screen or interface)) and ((scan\$4 or read\$3) with (display or panel or screen or interface)) and (print\$3 adj2 (key or keyboard or pad)) and ((scan\$4 or read\$3) with (key or keyboard or pad)) and (scrol\$4 or arrow or ((search\$3 or select\$3 or choos\$3) with (item or image or file or name or list or menu))) with(display or panel or screen or interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/17 16:06
S28	3	"20020114002"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/18 16:52
S29	2	"20040090651"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/02 09:40
S30	2	"6424429".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/02 10:01
S31	663	((detach\$3)with(scann\$3 or print\$3))with(storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/02 10:03

S32	11	((detach\$3)with(scann\$3 and print\$3)with(storage or memory))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/02 10:04
S33	10	((HYUNG-JONG) near2 (KANG)). INV.	US-PGRUB; USPAT	ADJ	ON	2010/05/01 05:56
S34	0	((JUNG-SOO) near2 (SEO)). INV.	USPAT; USOCR	ADJ	ON	2010/05/01 05:58
S35	144	((detect\$3 or notice or spot\$3 or identif\$3)near2(attach\$4 or fasten or join\$2 or connect\$3 or fix))with(scanner and (storage or memory or disk or USB))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/02 07:41
S36	83	((detect\$3 or notice or spot\$3 or identif\$3)near2(attach\$4 or fasten or join\$2 or connect\$3 or fix))with(scanner and (storage or memory or disk or USB)) and(@ad<="20021031")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/02 07:43
S37	0	(Scanner adj (detects or identify or recognize)adj(attach \$4 or join\$3 or connect\$3))adj4 (("USB" or (universal adj serial adj basic)))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/02 08:07
S38	4	(Scanner adj (detects or identify or recognize)adj(attach \$4 or join\$3 or connect\$3))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/02 08:08
S39	0	"20040090651" and(removable adj4 port)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:07
S40	0	"20040090651" and(removable near4 port)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:07
S41	0	"20040090651" and(removably near4 port)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:07

S42	0	"20040090651" and(removably near4 connect\$4)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:08
S43	2	"20040090651"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:09
S44	2	"20040090651" and(connect\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:09
S45	2	"7019869"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 09:19
S46	5	("20050080932" "5396341" "6055067" "6487611" "6614551").PN. OR ("7019869"). URPN.	US-PGRUB; USPAT; USOCR	ADJ	ON	2010/05/03 09:19
S47	1	("20040090651")and (connectable with(computer))	US-PGRUB; USPAT; USOCR	ADJ	ON	2010/05/03 09:40
S48	1	("20040090651")and(connect\$3 with(computer))	US-PGRUB; USPAT; USOCR	ADJ	ON	2010/05/03 09:41
S49	4	("6600576")	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:33
S50	2	("6600576")and(detect\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:35
S51	1	"20040090651" and(attachment adj5 state)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:45

S52	201	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:48
S53	0	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and ("358"/\$.ccis.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:48
S54	1	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and ("plug & plug")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:49
S55	0	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and (scanner adj attached adj (memory or storage or (universal adj serial adj basic)or "USB"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:51
S56	0	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and (scanner adj4 attached adj (memory or storage or (universal adj serial adj basic)or "USB"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:51
S57	0	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and (scanner adj9 attached adj (memory or storage or (universal adj serial adj basic)or "USB"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:51
S58	1	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and (scanner with attached adj (memory or storage or (universal adj serial adj basic)or "USB"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:51
S59	77	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and (@ad<="20023110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 10:53

S60	2	"20020021766"	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:27
S61	26	((attachment adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:38
S62	820	((attachment or read or (read and write)) adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:40
S63	717	((attachment or read or (read and write)) adj5 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner and storage and memory)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:41
S64	406	((attachment or read or (read and write)) adj2 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner and storage and memory)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:41
S65	0	((attachment or read or (read and write)) adj2 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner adj4 connect\$3 adj4(storage and memory))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:42
S66	0	((attachment or read or (read and write)) adj2 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner adj9 connect\$3 adj4(storage and memory))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:43
S67	0	((attachment or read or (read and write)) adj2 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner near4 connect\$3 adj4(storage and memory))	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:43

S68	0	((attachment or read or (read and write)) adj2 state)with ((memory or storage or (universal adj serial adj basic)or "USB"))and(scanner with connect\$3 adj4(storage and memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/03 11:43
-----	---	--	---	-----	----	---------------------

5/ 3/ 2010 1:38:00 PM

C:\ Documents and Settings\ asarpong\ My Documents\ EAST\ Workspaces\ 10673207.pts.wsp